| 1. | PRODUCT AND COMPANY IDENTIFICATION |
|--|---|
| Product Code: | QS 108 B |
| Product Name: Company Name: | Quik-Shield 108 B SWD URETHANE 539 S. Drew St. Mesa, AZ 85210, |
| Web site address: | www.swdurethane.com |
| Emergency Contact: | CHEMTREC (800) 424-9300 |
| | 2. HAZARDS IDENTIFICATION |
| Acute Toxicity: Oral, Cate Acute Toxicity: Skin, Cate Skin Corrosion/Irritation, Serious Eye Damage/Eye Skin Corrosion/Irritation, Serious Eye Damage/Eye | egory 5 Category 3 Irritation, Category 2B Category 2 |

Serious Eye Damage/Eye Irritat Skin Corrosion/Irritation, Categ Serious Eye Damage/Eye Irritat Flammable Liquids, Category 4 Acute Toxicity: Skin, Category 3 Acute Toxicity: Inhalation, Category 2 Skin Corrosion/Irritation, Category 1A Skin Corrosion/Irritation, Category 1B Skin Corrosion/Irritation, Category 1C Acute Toxicity: Oral, Category 5



| GHS Signal Word: | Danger | |
|----------------------------------|---|-----------|
| GHS Hazard Phrases: | H227 - Emergency Considerations: Emergency responders must wear the prope | er |
| | personal protective equipment suitable for the situation to which they are respon | iding. |
| | H302 - Harmful if swallowed. | |
| | H303 - May be harmful if swallowed. | |
| | H311 - Toxic in contact with skin. | |
| | H313 - May be harmful in contact with skin. | |
| | H314 - Causes severe skin burns and eye damage. | |
| | H315 - Causes skin irritation. | |
| | H316 - Causes mild skin irritation. | |
| | H318 - Causes serious eye damage. | |
| | H320 - Causes eye irritation. | |
| | H330 - Fatal if inhaled. | |
| | H402 - Harmful to aquatic life. | |
| GHS Precaution Phrases: | P210 - Keep away from heat/sparks/open flames/hot surfaces No smoking. | |
| | P260 - Do not breathe dust/fume/gas/mist/vapors/spray. | |
| | P264 - Wash hands thoroughly after handling. | |
| | P270 - Do not eat, drink or smoke when using this product. | |
| | P271 - Use only outdoors or in a well-ventilated area. | |
| | P273 - Avoid release to the environment. | |
| | P280 - Wear protective gloves/protective clothing/eye protection/face protection. | |
| | P284 - Wear respiratory protection . | |
| GHS Response Phrases: | P301+312 - IF SWALLOWED: Call a POISON CENTER or doctor/physician if yo | ou feel |
| Licensed to SWD Urethane: MIRS I | MSDS. (c) A V Systems. Inc. | HS format |



| | | unwell. | | | | |
|---|-----------------|---|--|--|--|--|
| | | | /ash with plenty of soap and water. | | | |
| | | | IN (or hair): Remove/take off immediately all contaminated | | | |
| | | clothing. Rinse skin with water/shower. P304+340 - IF INHALED: Remove victim to fresh air and keep at rest in a position | | | | |
| | | comfortable for breathing. | | | | |
| | | - | S: Rinse cautiously with water for several minutes. Remove | | | |
| | | contact lenses, if present and easy to do. Continue rinsing. | | | | |
| | | · • | POISON CENTER or doctor/physician. | | | |
| | | P321 - Specific treatment se | | | | |
| | | P330 - Rinse mouth. | | | | |
| | | P332+313 - If skin irritation | occurs, get medical advice/attention. | | | |
| | | P337+313 - If eye irritation | persists, get medical advice/attention. | | | |
| | | P361 - Remove/Take off im | mediately all contaminated clothing. | | | |
| | | P363 - Wash contaminated | clothing before reuse. | | | |
| GHS Storag | e and Disposal | P403+235 - Store in cool/w | ell-ventilated place. | | | |
| Phrases: | | P405 - Store locked up. | | | | |
| | | | or Disposal: Waste disposal must be in accordance with | | | |
| | | | and local regulations, those of Canada, Australia, EU | | | |
| | | Member States and Japan. | | | | |
| | | RCRA Waste Code: None Listed | | | | |
| | | EU Waste Code: None List | de: None Listed. | | | |
| Inhalation: | | May be harmful if inhaled. C mucous membranes and up | Causes respiratory tract irritation. Material is irritating to oper respiratory tract. | | | |
| Skin Contac | :t: | | through the skin. Causes skin irritation. Causes burns. Skin | | | |
| Eye Contact | : | | es burns. Causes eye burns. | | | |
| Ingestion: | | Harmful if swallowed. Harm | - | | | |
| | | Small intestine. Large intest | ine. | | | |
| | 3. CO | MPOSITION/INFORI | MATION ON INGREDIENTS | | | |
| CAS # | Hazardous Com | ponents (Chemical Name) | Concentration | | | |
| NA | Halogenated Pho | sphate | 30.0 -50.0 % | | | |
| 9082-00-2 Oxirane, methyl-, polymer with oxirane, ether with 1,2,3-Propanetriol (3:1) | | | 10.0 -25.0 % | | | |
| 9046-10-0 *Poly(oxy(methyl-1,2-ethanediyl) | | 1,2-ethanediyl) | 0.0 -10.0 % | | | |
| NA | Non Emissive Am | nine Catalyst | 5.0 -10.0 % | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

Licensed to SWD Urethane: MIRS MSDS, (c) A V Systems, Inc.



4. FIRST AID MEASURES

| | 4. FIR | |
|--------------------------------------|---|---|
| Emergency and First Aid | | |
| Procedures: | | |
| In Case of Inhalation: | | e person into fresh air. If not breathing give artificial respiration. If fresh air. Consult a physician. |
| In Case of Skin Contact: | immediately wash flush with copious a | p and plenty of water. Consult a physician. In case of contact, skin with soap and copious amounts of water. In case of skin contact, amounts of water for at least 15 minutes. Call a physician. Take off hing and shoes immediately. |
| In Case of Eye Contact: | case of contact, im minutes. In case of minutes. Assure ac | with plenty of water for at least 15 minutes and consult a physician. In nmediately flush eyes with copious amounts of water for at least 15 of contact with eyes, flush with copious amounts of water for at least 15 dequate flushing by separating the eyelids with fingers. Call a se rinsing eyes during transport to hospital. |
| In Case of Ingestion: | Consult a physiciar | ng by mouth to an unconscious person. Rinse mouth with water. In. If swallowed, wash out mouth with water provided person is physician. Call a physician immediately. Do NOT induce vomiting. |
| Signs and Symptoms Of Exposure: | not been thoroughl Gastrointestinal dis membranes and up inflammation and e edema. Symptoms | knowledge, the chemical, physical, and toxicological properties have ily investigated. Skin rash. Damage to the liver. Asthma. sturbances. Material is extremely destructive to tissue of the mucous pper respiratory tract, eyes, and skin. Inhalation may result in spasm, edema of the larynxand bronchi, chemical pneumonitis, and pulmonary s of exposure may include burning sensation, coughing, wheezing, ss of breath, headache, nausea, and vomiting. Cough, th, Headache. |
| Note to Physician: | Consult a physiciar dangerous area. | n. Show this safety data sheet to the doctor in attendance. Move out o |
| | 5. FIRE F | FIGHTING MEASURES |
| Flash Pt: | | |
| Explosive Limits: | LEL: | UEL: |
| Autoignition Pt: | | |
| Suitable Extinguishing Medi | small (incipient) fire | dry chemical, carbon dioxide, or alcohol-resistant foam. Suitable: For res, use media such as "alcohol" foam, dry chemical, or carbon dioxide oly water from as far as possible. |
| Fire Fighting Instructions: | Equipment: Wear s | ed breathing apparatus for fire fighting if necessary. Protective self-contained breathing apparatus and protective clothing to prevent and eyes. Specific Hazard(s): Emits toxic fumes under fire conditions. |
| Flammable Properties and Hazards: | | |
| Hazardous Combustion | | |
| Products: | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |



| | | 6. ACCIDENTAL RELEAS | SE MEASURES | | |
|---|--------------------|--|--|--|--|
| Steps To Be Taken In Case Material Is Released Or Spilled: | | Personal precautions. Use personal protective equipment. adequate ventilation. Environmental precautions. Do not let product enter drains. | Avoid breathing vapors, mist or gas. Ensure | | |
| | | Soak up with inert absorbent material and dispose of as hazardous waste. Keep in suitable, closed containers for disposal. PROCEDURE(S) OF PERSONAL PRECAUTION(S) Wear respirator, chemical safety goggles, rubber boots, and heavy rubber gloves. Methods for cleaning up. Absorb on sand or vermiculite and place in closed containers for disposal. Ventilate area and wash spill site after material pickup is complete. PROCEDURE TO BE FOLLOWED IN CASE OF LEAK OR SPILL. Evacuate area. Wear self-contained breathing apparatus, rubber boots, and heavy rubber gloves. | | | |
| | | 7. HANDLING AND | STORAGE | | |
| Handling: | To Be Taken in | skin, and clothing. | protection. User Exposure: Avoid contact with eyes | | |
| Precautions Storing: | To Be Taken in | Keep container tightly closed in a dr closed. Keep away from heat and or | y and well-ventilated place. Suitable: Keep tightly pen flame. | | |
| | 8. EXP | OSURE CONTROLS/PER | SONAL PROTECTION | | |
| CAS # | Partial Chemical | Name OSHA TWA | ACGIH TWA Other Limits | | |
| NA | Halogenated Pho | sphate | | | |
| 9082-00-2 | ether with 1,2,3-P | | | | |
| 9046-10-0 | *Poly(oxy(methyl- | | | | |
| NA | Non Emissive Am | ine Catalyst | | | |
| Respiratory Equipment (Specify Type): Where risk assessment shows air-purifying respirators are appropriate use a full-f cartridges as a backup to engineering controls. If the respirator is the sole means protection, use a full-face supplied air respirator. Use respirators and components and approved under appropriate government standards such as NIOSH (US) or C (EU). Hand: Compatible chemical-resistant gloves. | | nation (US) or type ABEK (EN 14387) respirator ng controls. If the respirator is the sole means of hir respirator. Use respirators and components teste vernment standards such as NIOSH (US) or CEN esistant gloves. | | | |
| Eye Protection: | | Face shield and safety glasses. Chemical safety goggles. Tightly fitting safety goggles. Faceshield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). | | | |
| Protective Gloves: | | Handle with gloves. Eyes: Chemical safety goggles. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Wash and dry hands. | | | |
| Other Protec | ctive Clothing: | | o the amount and concentration of the dangerous ete suit protecting against chemicals. | | |
| Engineering (Ventilation | | Mechanical exhaust required. Safety hood. | y shower and eye bath. Use only in a chemical fume | | |
| Work/Hygier Practices: | nic/Maintenance | before breaks and at the end of wor | ustrial hygiene and safety practice. Wash hands kday. Wash thoroughly after handling. Wash Discard contaminated shoes. EXPOSURE LIMITS | | |
| iconcod to CM | | | 0110 (| | |



Physical States:

pH:

Appearance and Odor:

SAFETY DA **Quik-Shiel**

| SAFETY DATA SHEET Quik-Shield 108 B | Page: 5 of 8 |
|--|--------------|
| RTECS. | |
| Country Source Type Value. | |
| USA ACGIH TWA 0.05 PPM | |
| Remarks: Skin. | |
| STEL 0.15 PPM | |
| EXPOSURE LIMITS. | |
| USA TWA 0.05 ppm | |
| USA STEL 0.15 ppm | |
| | |
| 9. PHYSICAL AND CHEMICAL PROPERTIES | |
| []Gas [X]Liquid []Solid | |
| amber. | |
| Musty. | |
| | |

| рн: | | |
|--|------------------------------|--|
| Melting Point: | | |
| Boiling Point: | | |
| Flash Pt: | | |
| Evaporation Rate: | | |
| Flammability (solid, gas): | | |
| Explosive Limits: | LEL: | UEL: |
| Vapor Pressure (vs. Air or mm Hg): | | |
| Vapor Density (vs. Air = 1): | | |
| Specific Gravity (Water = 1): | | |
| Solubility in Water: | | |
| Octanol/Water Partition | | |
| Coefficient: | | |
| Autoignition Pt: | | |
| Decomposition Temperature: | | |
| Viscosity: | | |
| | 10. STABILITY | AND REACTIVITY |
| Stability: | Unstable [] Stable [X | |
| Conditions To Avoid - Instability: | No data available. | |
| Incompatibility - Materials To Avoid: | | neral acids, acids (organic, sodium hypochlorite). Corrodes id direct Sunlight. Avoid excessive temperatures. |
| Hazardous Decomposition or | formed under fire condition | s. Carbon oxides, |
| Byproducts: | Phosphorous oxides, Hydro | • • |
| | | ¹ °C Carbon monoxide, Carbon dioxide, Nitrogen oxides, |
| | Ammonia, Nitric acid, nitrog | |
| Possibility of Hazardous Reactions: | Will occur [] Will not o | occur [X] |
| Conditions To Avoid - | | |
| Hazardous Reactions: | | |
| | | |
| | | |
| | | |
| 1 | | |



| | | 11. TOXICOLOGICA | L INFORMA | TION | | |
|---|--|--|---|--|--|---------------------------------------|
| Foxicologica | I Information: | 11. TOXICOLOGICA CAS# NA: Acute toxicity, LD50, Oral, Rat, Results: Behavioral: Somnolence (gene Behavioral: Tremor. Lungs, Thorax, or Respiration: National Technical Informatio Acute toxicity, LD50, Intraveno Results: Behavioral: Food intake (anima Nutritional and Gross Metabolic - U.S. Army Armament Resear Laboratory, NIOSH Exchange of Proving Ground, MD 21010, Vol Skin corrosion/irritation, Skin se quantities of materials with critit Rabbit, 0.000, Mild. Results: Sense Organs and Special Ser Behavioral: Tremor. Lungs, Thorax, or Respiration: | 3600. MG/KG. ral depressed act Other changes. n Service, Vol/p/y us, Mouse, 56.00 al). c:Weight loss or d ch & Developmen Chemicals., Abero ol/p/yr: NX#, 5768 ensitization, This p cal values that ha | ivity). r: OTS05, 77 MG/KG. ecreased we t Command, deen Proving product does ve to be mor | eight gain. Chemical Sy Ground,, Ab not contain a hitored in the | erdeen any relevant workplace., |
| Irritation or Corrosion: Sk Se Sk | | Skin - rabbit - Mild skin irritation - 24 h. Serious eye damage/eye irritation: Skin - rabbit - Corrosive. Eyes - rabbit - Severe eye irritation. | | | | |
| Carcinogenic Information: | ity/Other: | Carcinogenicity. IARC: No component of this product present at levels greater than or equal to 0 identified as probable, possible or confirmed human carcinogen by IARC. ACGIH: No component of this product present at levels greater than or equal to identified as a carcinogen or potential carcinogen by ACGIH. NTP: No component of this product present at levels greater than or equal to 0. identified as a known or anticipated carcinogen by NTP. OSHA: No component of this product present at levels greater than or equal to | | ual to 0.1% is I to 0.1% is | | |
| CAS # | Hazardous Cor | identified as a carcinogen or po nponents (Chemical Name) | NTP | I by OSHA. | ACGIH | OSHA |
| NA | Halogenated Ph | osphate | | | | |
| | Oxirane, methyl-, polymer with oxirane, ether with 1,2,3-Propanetriol (3:1) | | | | | |
| 9082-00-2 | 1,2,3-Propanetr | | *Poly(oxy(methyl-1,2-ethanediyl) | | | |
| 9082-00-2 9046-10-0 | - | | | | | |



| Page: | 7 | of | 8 | |
|-------|---|----|---|--|
| | | | - | |

| | | 12. ECOLOGICAL | - INFORMA | TION | |
|--|---|--|--|--|---|
| Persistence a | | No data available. | | | |
| Degradability | | Biodegradability: | | | |
| | tive Potential: | No data available. | | | |
| Mobility in So | oil: | No data available. | | | |
| | | 13. DISPOSAL CO | DNSIDERAI | IONS | |
| Waste Dispo | sal Method: | Product. Observe all federal, state, and professional waste disposal s | | - | Contact a licensed |
| | | Contaminated packaging. Dispose of as unused produc SUBSTANCE OR PREPARA chemical incinerator equipped non-recyclable solutions to a | TION. This comb d with an afterbu | oustible material r | nay be burned in a |
| | | 14. TRANSPORT | INFORMA | TION | |
| GHS Classifi | cation: | Acute Toxicity: Oral, Categor Acute Toxicity: Skin, Categor Skin Corrosion/Irritation, Cate Serious Eye Damage/Eye Irri Aquatic Toxicity (Acute), Cate Skin Corrosion/Irritation, Cate Serious Eye Damage/Eye Irri Flammable Liquids, Category | y 5 - Warning! M egory 3 - Warning tation, Category egory 3 - Harmfu egory 2 - Warning tation, Category | ay be harmful in o g! Causes mild sk 2B - Warning! Ca Il to aquatic life g! Causes skin irri 1 - Danger! Caus | contact with skin in irritation auses eye irritation itation |
| DOT Prop DOT Haza UN/NA N LAND TRAN | SPORT (Canadi ping Name: er: | Acute Toxicity: Skin, Categor): me: | - | xic in contact with | n skin |
| DOT Prop DOT Haza UN/NA No LAND TRAN TDG Ship UN Numb Hazard Cl AIR TRANSF | per Shipping Na ard Class: umber: SPORT (Canadi ping Name: er: lass: PORT (ICAO/IAT | Acute Toxicity: Skin, Categor T): me: an TDG): A): | y 3 - Danger! To TDG Class | xic in contact with | |
| DOT Prop DOT Haza UN/NA No LAND TRAN TDG Ship UN Numb Hazard Cl AIR TRANSF | per Shipping Na ard Class: umber: SPORT (Canadi ping Name: er: lass: | Acute Toxicity: Skin, Categor T): me: an TDG): A): | y 3 - Danger! To TDG Class ansport: Non-ha: | xic in contact with sification: zardous for air tra | |
| DOT Prop DOT Haza UN/NA No LAND TRAN TDG Ship UN Numb Hazard Cl AIR TRANSF | per Shipping Na ard Class: umber: SPORT (Canadi ping Name: er: lass: PORT (ICAO/IAT | Acute Toxicity: Skin, Categor me: an TDG): A): ne: Non-Hazardous for Air Tr | y 3 - Danger! To TDG Class ansport: Non-ha: Packing Group: II | xic in contact with sification: zardous for air tra | |
| DOT Prop DOT Haza UN/NA No LAND TRAN TDG Ship UN Numb Hazard CI AIR TRANSF ICAO/IAT | per Shipping Na ard Class: umber: SPORT (Canadi ping Name: er: lass: PORT (ICAO/IAT A Shipping Nan | Acute Toxicity: Skin, Categor T): me: an TDG): A): ne: Non-Hazardous for Air Tr 2927 Hazard Class: 6.1 F | y 3 - Danger! To TDG Class ansport: Non-ha: Packing Group: II Y INFORMA | xic in contact with sification: zardous for air tra | |
| DOT Prop DOT Haza UN/NA N LAND TRAN TDG Ship UN Numb Hazard CI AIR TRANSF ICAO/IAT | per Shipping Na ard Class: umber: SPORT (Canadi ping Name: er: lass: PORT (ICAO/IAT A Shipping Nan | Acute Toxicity: Skin, Categor T): me: an TDG): A): ne: Non-Hazardous for Air Tr 2927 Hazard Class: 6.1 F 15. REGULATOR nents and Reauthorization Act of nponents (Chemical Name) | y 3 - Danger! To TDG Class ansport: Non-ha: Packing Group: II Y INFORMA | xic in contact with sification: zardous for air tra | |
| DOT Prop DOT Haza UN/NA Ni LAND TRAN TDG Ship UN Numb Hazard CI AIR TRANSF ICAO/IAT | per Shipping Na ard Class: umber: SPORT (Canadi ping Name: er: lass: PORT (ICAO/IAT A Shipping Nan uperfund Amendr Hazardous Con Halogenated Pho | Acute Toxicity: Skin, Categor T): me: an TDG): A): ne: Non-Hazardous for Air Tr 2927 Hazard Class: 6.1 F 15. REGULATOR nents and Reauthorization Act of nponents (Chemical Name) osphate , polymer with oxirane, ether with | y 3 - Danger! To TDG Class ansport: Non-ha: Packing Group: II Y INFORMA f 1986) Lists S. 302 (EHS) | sification: zardous for air tra TION S. 304 RQ | nsport. UN Number: S. 313 (TRI) |
| DOT Prop DOT Haza UN/NA N LAND TRAN TDG Ship UN Numb Hazard CI AIR TRANSF ICAO/IAT EPA SARA (S CAS # NA | per Shipping Na ard Class: umber: SPORT (Canadi ping Name: er: lass: PORT (ICAO/IAT A Shipping Nam uperfund Amendr Hazardous Con Halogenated Pho Oxirane, methyl- | Acute Toxicity: Skin, Categor T): me: an TDG): A): ne: Non-Hazardous for Air Tr 2927 Hazard Class: 6.1 F 15. REGULATOR ments and Reauthorization Act of nponents (Chemical Name) osphate , polymer with oxirane, ether with ol (3:1) | y 3 - Danger! To TDG Class ansport: Non-ha: Packing Group: II Y INFORMA f 1986) Lists S. 302 (EHS) No | sification: zardous for air tra TION S. 304 RQ No | nsport. UN Number: S. 313 (TRI) No |



| CAS # | Hazardous Components (Chemical Name) | Other US EPA or State Lists |
|-----------|---|---|
| NA | Halogenated Phosphate | CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory, 8D TERM; CA PROP.65: No; CA TAC, Title 8: No; MA Oil/HazMat: No; MI CMR, Part 5: No; NC TAP: No; NJ EHS: No; NY Part 597: No; PA HSL: No; SC TAP: No; WI Air: No |
| 9082-00-2 | Oxirane, methyl-, polymer with oxirane, ether with 1,2,3-Propanetriol (3:1) | CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No; CA TAC, Title 8: No; MA Oil/HazMat: No; MI CMR, Part 5: No; NC TAP: No; NJ EHS: No; NY Part 597: No; PA HSL: No; SC TAP: No; WI Air: No |
| 9046-10-0 | *Poly(oxy(methyl-1,2-ethanediyl) | CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No; CA TAC, Title 8: No; MA Oil/HazMat: No; MI CMR, Part 5: No; NC TAP: No; NJ EHS: No; NY Part 597: No; PA HSL: No; SC TAP: No; WI Air: No |
| NA | Non Emissive Amine Catalyst | CAA HAP,ODC: No; CWA NPDES: No; TSCA: No; CA PROP.65: No; CA TAC, Title 8: No; MA Oil/HazMat: No; MI CMR, Part 5: No; NC TAP: No; NJ EHS: No; NY Part 597: No; PA HSL: No; SC TAP: No; WI Air: No |
| CAS # | Hazardous Components (Chemical Name) | International Regulatory Lists |
| NA | Halogenated Phosphate | Canadian DSL: Yes; Canadian NDSL: No |
| 9082-00-2 | Oxirane, methyl-, polymer with oxirane, ether with 1,2,3-Propanetriol (3:1) | Canadian DSL: Yes; Canadian NDSL: No |
| 9046-10-0 | *Poly(oxy(methyl-1,2-ethanediyl) | Canadian DSL: Yes; Canadian NDSL: No |
| NA | Non Emissive Amine Catalyst | Canadian DSL: No; Canadian NDSL: No |

16. OTHER INFORMATION

Revision Date:

04/03/2015

Additional Information About This Product: